

Receiving Report

Date: 7-01-05

Batch No: 136683

Supplier: KIX

Dart P/O: 34878

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒


Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☒
 QC18 Inspection ☐ N/A ☒
 Work Order ☐ N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Rec'd | Quantity Short | Quantity Inspected | Quantity Rejected | Comment / NCR Number |
|-------------|-------------|------------------|----------------|----------------|--------------------|-------------------|----------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Initials of Receiver

QC12



Production/Admin:

Date

Received/Costing

Initial

Location



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO34878

Purchase Order Date 1/9/2017
PO Print Date 1/9/2017

Page Number 1 of 3

Order From:

KLX INC.
88289 EXPEDITE WAY
CHICAGO, IL 33172
USA

VU-KLX01

Ship To: DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

JAN 10 2017

Contact Name
Vendor Phone

305-925-2600

Buyer
Customer POID
Customer Tax #
Terms
Currency
FOB

Chantal Lavoie

10127-2607
Net 30

USD

Destination-Collect

Ship To Contact

Ship To Phone

Ship Via:

FedEx Economy collect

Ship Acct:

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|----------|---|------------------------|--------------------------------------|----|--------------------------------|---------------|-------------------|
| 1 | LN9025-0820K ✓ 564 | Lock Tab Washer ✓ | 1/9/2017 Yes 1/9/2017 | FN | 50.00 Each ✓ | \$0.41 | \$20.50 ✓ |
| | | | | | | Line Total: | \$20.50 |
| 2 | LN9038-05012 ✓ | Bolt ✓ | 1/9/2017 Yes 1/9/2017 | FN | 80.00 Each ✓ | \$1.07 | \$85.60 ✓ |
| | | | | | | Line Total: | \$85.60 |
| 3 | LN9348-05 ✓ 564. | Nut ✓ | 1/9/2017 Yes 1/9/2017 | FN | 80.00 Each ✓ | \$1.00 | \$80.00 ✓ |

Note:

1/9/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO34878

Purchase Order Date 1/9/2017
PO Print Date 1/9/2017

Page Number 2 of 3

Order From:

KLX INC.
88289 EXPEDITE WAY
CHICAGO, IL 33172
USA

VU-KLX01

Ship To: DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

305-925-2600

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

FedEx Economy collect

Buyer
Customer POID
Customer Tax #
Terms
Currency
FOB

Chantal Lavoie
10127-2607
Net 30
USD
Destination-Collect

| | | | | Line Total: | |
|---------|--------------|--------|--------------------------------|---------------|-------------------------------|
| 4 | LN9161-06M ✓ | Nut ✓ | 1/9/2017 FN Yes 1/9/2017 | 10.00 Each | \$80.00 \$1.50 ✓ \$15.00 |
| 564. | | | | SP17-01-16 | |
| 5 | AN3C40A ✓ | Bolt ✓ | 1/9/2017 FN Yes 1/9/2017 | 8.00 Each | \$15.00 \$18.00 ✓ \$144.00 |
| over ea | | | | SP17-01-16 | |
| 6 | AN4-20 ✓ | Bolt ✓ | 1/9/2017 Yes 1/9/2017 | 50.00 Each | \$144.00 \$0.90 ✓ \$45.00 |
| 343. | | | | SP17-01-11 | |
| | | | | Line Total: | \$45.00 |

Note:

1/9/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Purchase Order ID PO34878

Purchase Order Date 1/9/2017
PO Print Date 1/9/2017

Page Number 3 of 3

Order From :

KLX INC.
88289 EXPEDITE WAY
CHICAGO, IL 33172
USA

VU-KLX01

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

305-925-2600

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

FedEx Economy collect

Bolt

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

30.00 ✓
Each

\$0.53

\$15.90 ✓

Line Total:

\$15.90

1.00

\$0.00

\$0.00

Line Total:

\$0.00

PO Total:

\$406.00

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS
FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A043 RETENTION OF QUALITY DOCUMENT

PROCUREMENT
QUALITY CLAUSES

1/9/2017

No

1/9/2017

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

Change Date: 1/9/2017



Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXAerospace.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

J8J5RM

PAGE 1 OF 2

SOLD TO:
002409

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7



SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

| | | | | | | | | |
|---|------------------|--|---------------------------------|-------|-----------------|-----------------------------------|---------|--------|
| ORDER NO. PO34878 | | DATE 01/18/17 | SHIP VIA FEDX INTL ECON COLL | | TERMS NET 30 | SHIPPING TERMS EXW-BURGESS HIL | | |
| ITEM NO. | QUANTITY ORDERED | PART NUMBER AND DESCRIPTION | | PRICE | UNIT | BACK ORDER | SHIPPED | AMOUNT |
| 2 | 80 | LN9038-05012 TARIFF: 73181595 Description BOLT ECCN : EURNL MFR: AHG ATELIERS HAUTE CTRL#: 2014G06108 LOT#: 291280 P001 F002 LOT QTY: 80 Country of Origin FRANCE VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA | | 1.070 | EA | 0 | 80 | 85.60 |
| Export Supply 0% | | | | | | | | |
| ***CONTINUED*** | | | | | | | | |
| MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC. | | | | | | | | |

SPR-25
CONTINUED

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXAerospace.com/conditions-sale/>





Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

J8J5RM

PAGE 2 OF 2

SOLD TO: 002409

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7



SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

| ORDER NO. | | DATE | SHIP VIA | TERMS | SHIPPING TERMS | | | |
|---|--------------------------|-----------------------------|---------------------|--------|-----------------|------------------|---------|--------|
| PO34878 | | 01/18/17 | FEDX INTL ECON COLL | NET 30 | EXW-BURGESS HIL | | | |
| ITEM NO. | QUANTITY ORDERED | PART NUMBER AND DESCRIPTION | | PRICE | UNIT | BACK ORDER | SHIPPED | AMOUNT |
| | # 1=CTN | 1.00 Lb / 0.45 Kg | | | | | | |
| | FREIGHT ACCT# 15179324-0 | | | | | | | |
| | TEL# 613-632-3336 | | | | | | | |
| | DIMENSIONS: Lg BagXX | | | | | | | |
| INVOICE#.....: J8J5RM | | | | | | | | |
| ORDER#.....: AMA5L1 | | | | | | | | |
| * CUST VAT | | | | | | SUBTOTAL : 85.60 | | |
| * KLX VAT GB 202 3356 57 | | | | | | HANDLING : 0.00 | | |
| NBP RATIO AS OF 01/17/2017: 0.8056 | | | | | | DISC/ALL : 0.00 | | |
| NET Amount GBP: 68.96 | | | | | | INCM FRT : 0.00 | | |
| VAT Amount GBP: 0.00 | | | | | | FREIGHT : 0.00 | | |
| TOTAL AMOUNT GBP: 68.96 | | | | | | TOTAL : 85.60USD | | |
| jac AMA5L1 SHIPPED ON 01/18/17 | | | | | | U.S. CURRENCY | | |
| MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC. | | | | | | | | |

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXaerospace.com/conditions-sale/>



Vice President of Quality



Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002



INVOICE NUMBER

J8J5RM

PAGE 1 OF 2



SOLD TO:

002409
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

| | | | | | | | | |
|---|------------------|--|---------------------------------|-----------------|------|------------------------------------|---------|--------|
| ORDER NO. PO34878 | | DATE 01/18/17 | SHIP VIA FEDX INTL ECON COLL | TERMS NET 30 | | SHIPPING TERMS EXW-BURGESS HILL | | |
| ITEM NO. | QUANTITY ORDERED | PART NUMBER AND DESCRIPTION | | PRICE | UNIT | BACK ORDER | SHIPPED | AMOUNT |
| 2 | 80 | LN9038-05012 BOLT ECCN :EURNL Country Origin: FRANCE TARIFF: 73181595 MFR: AHG ATELIERS HAUTE CTRL# : 2014G06108 LOT# : 291280 P001 F002 LOT QTY: 80 | | 1.070 | EA | 0 | 80 | 85.60 |
| Export Supply 0% VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC | | | | | | | | |
| Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA | | | | | | | | |
| # 1=CTN 1.00 Lb / 0.45 Kg FREIGHT ACCT# 15179324-0 | | | | | | | | |
| ***CONTINUED*** | | | | | | | | |
| MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC. | | | | | | | | |

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK
VAT REGISTERED ADDRESS: KLX INC 10000 N.W. 15TH TERRACE, MIAMI, FL 33172

ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXaerospace.com/conditions-sale/>



J8J5RM

PAGE 2 OF 2

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

2017-01-25

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXaerospace.com/conditions-sale/>



P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.KLXAerospace.com

Shipped From: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK


Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO34878

| LINE# | QUANTITY | U/M | PART-NUMBER | CUST REF# | LOT-NUMBER | MANUFACTURER | CCODE | MFR DTE | EXP DATE |
|-------|----------|-----|--------------|-----------|------------------|--------------------|-------|---------|----------|
| 1 | 80 | EA | LN9038-05012 | | 291280 P001 P002 | AHG ATELIERS HAUTE | P0095 | | |


Jason Lewis
Senior Director, Global Quality

01/18/17

Inv #J8J5RM 01/18/17



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 1/ 2

| | | | | | |
|--|----------|--|--|-------------------|-----------------------------------|
| Your P.O. nb. : OXAL63 MLG3 | | of : 24 MAR 2014 | | Supplier number : | |
| N° ack. : 291280 | | of : 24 MAR 2014 | | | |
| Shipment to : (or notify party) B/E BURGESS HILL CHARLES AVENUE | | | | | |
| RH15 9UF BURGESS HILL GREAT BRITAIN | | | | | |
| ITEM | ORDERED | PART NUMBER | SHIPPED | | |
| 1 | 6100 PCE | LN9038 - 05 012 vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6 | 5819 PCE 34.072 Lb. ** | | |
| Your Item : 1 | | marked | sol.+pre.t chamfer roll sorting | | |
| Technical spec : | | Cadm.dichrom.coated DIN65149=dia<5/LN65010>=5 | Coating per : cadm. cyanide 5-9µ EN2133 | | |
| Lot nb 291280 P001 F002 | | Qty.: 5819 PCE | AHG Wire lot nb.: 204394 | | Material heat nb.: 065316 |
| NATO Cod : F0095 | | Origin: France | Original lot control N° 286367 P002- F002 | | Coating date : 20 JUN 2014 |
| Manufacture heading date: 24 DEC 2013 | | Material Producer : BE | | | |
| | | | Mini | Maxi | Value |
| Adherence/Adhesion Test | | Conf=0 / Non Conf=1 | | 0.0000 | 0.0000 |
| Decarburation depth 08-509MO | | Tete sauf sous tete autres zones | | 0.0000 0.0000 | 0.0000 0.0000 |
| Durete/Hardness 08-146MO | | Dureté/Hardness | 269.0000 | | 297.7000 |
| | | Dureté/Hardness | 269.0000 | | 298.7600 |
| | | Dureté/Hardness | 269.0000 | | 297.7000 |
| | | Dureté/Hardness | 269.0000 | | 296.1100 |
| | | Dureté/Hardness | 269.0000 | | 297.6600 |
| Grain Flow conformity 08-400MO | | Conforme O/N | Conf=0 & Non conf=1 | 0.0000 | 0.0000 |
| | | | mesure centre/sstête | 0.5000 | 0.6000 |
| Microstructure Conformity | | Conforme O/N | Conf=0 & Non conf=1 | 0.0000 | 0.0000 |
| Proof Load Test 08-523MO | | D charge/Proof Load | 950.0000 | | 974.6855 |
| | | D charge/Proof Load | 950.0000 | | 1003.8719 |
| Proof Load Test Déformat | | Déformation/Set | | 12.5000 | 8.0000 |
| | | Déformation/Set | | 12.5000 | 8.0000 |
| This test report shall not be reproduced, in part or in full, without the written permission of AHG. Any alteration, forgery or fraudulent report will be punishable by the French Law. | | | | | |
| Item | | 1 | to be continued | | |

./..



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

| | | | |
|-----------------|--------------------|-------------------------|-------------------|
| Your P.O. nb. : | OXAL63 MLG3 | of : 24 MAR 2014 | Supplier number : |
| N° ack. : | 291280 | of : 24 MAR 2014 | |

| ITEM | ORDERED | PART NUMBER | SHIPPED | | | |
|--------------------------------|--------------|---------------------|-----------|-----------|---------|---|
| Item 1 | Continuation | LN9038 - 05 012 | | | | |
| Ressuage/Fluorescent Penetrant | | Conf=0 & Non conf=1 | 0.0000 | 0.0000 | 592 | |
| | | Nb pièces testées | | 592.0000 | | |
| Traction/Tensile 08-403MO | | D Traction/Tensile | 1280.0000 | 1388.6809 | DaN | 2 |
| | | vitesse/load rate | 12.6000 | 15.4000 | 13.6977 | |
| | | D Traction/Tensile | 1280.0000 | 1400.6517 | DaN | |
| | | vitesse/load rate | 12.6000 | 15.4000 | 13.7657 | |
| Oblique Tensile test | | D Traction/Tensile | 1280.0000 | 1352.7701 | DaN | 2 |
| | | vitesse/load rate | 12.6000 | 15.4000 | 14.7048 | |
| | | D Traction/Tensile | 1280.0000 | 1373.3473 | DaN | |
| | | vitesse/load rate | 12.6000 | 15.4000 | 15.3022 | |

| | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|--|--|---------|
| C | CR | CU | MN | NI | P | S | SI | | | FE |
| 0,35800 | 1,00100 | 0,18400 | 0,82000 | 1,38900 | 0,01200 | 0,00700 | 0,28900 | | | BALANCE |

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035


This test report shall not be reproduced, in part or in full, without the written permission of AHG.
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

SUPPLIER'S INSPECTION 23 JUN 2014
NAME AND FUNCTION

Gilles GUISSSET CTLEF Chef Service Contrôle
Computer controlled signature



** Estimated quantity

--- TRUE COPY CERTIFICATION ---

**CERTIFICAT DE RECEPTION TYPE 3.1**

Conforme à la EN 10204

INSPECTION CERTIFICATE - TYPE 3.1

Conforms to EN 10204

N° Certificat : 1

N° Lot : 60967/0

N° de Commande : 118578MPVI

Purchase Order N°

Date : 17/06/13

Référence Client : 01023135-0440

Customer Reference :

N° Bon de Livraison :

Delivery Note N° :

Poids :

Weight :

1967 KG

Désignation Produit : Fil tréfilé 4.40 mm(+/- 0.02)

Product ordered : Etat recuit

revellement phosphaté

35NC6

Client : ATELIERS DE LA HTE GARONNE

Customer :

26 ROUTE DE LASBORDES

ZI DE FLOURENS

31130 FLOURENS

FRANCE

Spécifications : Cahier des charges 02-286/CC
Specifications : + Cahier des charges SM-35 indice B

Capable de :

Capable of :

Analyse chimique / Chemical analysis - % masse / % weight

| N° Coulée : Heat N° : 065316 | Al | C | Cr | Cu | Fe | Mn | Mo | Ni | P | S | Si |
|------------------------------------|-------|-------|-------|-------|---------|------|--------|-------|-------|-------|-------|
| | 0.025 | 0.358 | 1.001 | 0.184 | BALANCE | 0.82 | 0.0512 | 1.389 | 0.012 | 0.007 | 0.289 |

N° certificat
Orig. mill N° :
2272619/02**PROPRIETES MECANQUES / MECHANICAL PROPERTIES**

| Etat métallurgique / Metallurgical condition | ESSAI DE TRACTION / TENSILE TEST | | | | | Taille grain / Grain size | Dureté / Hardness | |
|---|----------------------------------|----------|--------------|------|----|------------------------------|----------------------|----|
| | 0 (°C) | Rm (Mpa) | Rp0.2% (Mpa) | A% | Z% | | | |
| Etat de livraison / As shipped properties | TA | | | | | 9 | 180 | HB |
| Etat de référence 1 / Capability condition 1 850°C/30MIN/HUILE+575°C/1/AIR | TA | 925.0 | 834 | 15.0 | | | 288 | HB |
| Fluage / Stress rupture | | Mpa | | h | | | | |
| Etat de référence 2 / Capability condition 2 | TA | | | | | | | |
| Fluage / Stress rupture | | Mpa | | h | | | | |
| Etat de référence 3 / Capability condition 3 | TA | | | | | | | |
| Fluage / Stress rupture | | Mpa | | h | | | | |

AUTRES CONTRÔLES / OTHER INSPECTIONS :Etat de surface / Surface condition : SATISFAISANT
Contrôle dimensionnel / Dimensional inspection : 4.40 mm +/-0.02
ELABORATION ASCOMETAL
CONTROLE U.S SUR BILLETTE
RESILIENCE KCU SUR 1/2 PRODUIT 10.2 DAJ/CM2**Référence des dérogations / Concessions list :**

Nous déclarons que sauf exceptions ou dérogations énumérées ci-dessus, la fourniture citée a été fabriquée conformément aux spécifications techniques du marché, commande, ou sous-commande du Client, et que toutes opérations de contrôle et essais effectués, elle répond sous tous ses aspects, aux spécifications particulières, aux plans, ainsi qu'aux normes en vigueur s'y rapportant.

We declare that unless otherwise stated, the above described products have been manufactured, tested and inspected in accordance with the technical specification of the contract, order or subcontract applicable thereto and conforms fully to the special requirements, drawings and standards quoted hereon.

Le signataire habilité :

The authorised signatory :

Date édition : 15/07/2013

C.FERRAGUTI
Agent de certification



Usine de FOS SUR MER
Boîte Postale 40030
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00
Télécopie : 04 42 05 45 01

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE N° 2589610

CODE FC33

| | | | | | | | | | | | |
|---|----------|---|---|---------------------|---------|-------------------------------|-------|---------|--------|-----------------------|-------|
| V/REF : 5151 YOUR ORDER/THRE BEZUG | | DU : 26/09/2012 DATED/DATUM | | | | | | | | | |
| AFFAIRE SUIVIE PAR : DVF SUD CLI YOUR CONTACT IS/BEZUGHEITER N/REFERENCE : 2272619 / 02 ACCOMMETAL ORDER/WERKSBESTELLUNG N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255 ADVISE NOTE NO./LIEFERUNG N° DE LOT : P 2589610 WORKS ORDER NUMBER/REFERENZ WERK FOS COULEE : 065316 CAST/SCHMELZE PRODUITS : 35NC6 FILSMACH. 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL PRODUCT DESCRIPTION/SPEZIFIKATION SPECIFICATION : AIR 9160 C/EN2436/LOFC 55D SPECIFICATION/BEZEICHNUNG : CLASSE 2 AIR 0819+MBE 00 | | DESTINATAIRE DOCUMENT : DOCUMENT FOR/EMPFANGER BROWN EUROPE SAS LAVAL DE CERE 46130 LAVAL DE CERE FRANCE IND : SANS REV/ENTWURF RECEPTION : DATE : 09/09/2000 DATED/DATUM | | | | | | | | | |
| ANALYSE : (M %) LADLE ANALYSIS/SCHMELZENANALYSE | | | | | | | | | | | |
| CODE | ELEMENT | C | SI | MN | NI | CR | MO | CU | S | P | AL |
| MINI | SPEC MIN | MINI | 0.300 | 0.100 | 0.600 | 1.200 | 0.800 | | | | |
| VALEUR | ACTUAL | WERTE | 0.358 | 0.289 | 0.820 | 1.389 | 1.001 | 0.0512 | 0.184 | 0.0070 | 0.012 |
| MAXI | SPEC MAX | MAXI | 0.370 | 0.400 | 0.900 | 1.600 | 1.100 | | 0.0200 | 0.025 | 0.025 |
| COMMENTAIRES | | COMMENTS/ANMERKUNGEN | ELABORATION POUR ELECTRIQUE VOIE LINGOTE DEGAZE SOUS VIDE | | | | | | | | |
| ESSAI JOMINY : 1 NM / HRC / 850° C JOMINY TEST/HARTHARKEIT ERGEBNISSE | | | | | | | | | | | |
| DISTANCE | DISTANCE | ABSTAND | 5.0 | 9.0 | 15.0 | 25.0 | 40.0 | | | | |
| MINI | SPEC MIN | MINI | 49.0 | 48.0 | 44.0 | 40.0 | 35.0 | | | | |
| VALEUR | ACTUAL | WERTE | 54.5 | 51.8 | 51.5 | 46.4 | 42.4 | | | | |
| MAXI | SPEC MAX | MAXI | 50.0 | 57.0 | 55.0 | 53.0 | 50.0 | | | | |
| CARACTERISTIQUES MECANQUES DE COULEE : MEAT MECHANICAL PROPERTIES ON TEST COUPON/SCHNELZEN MECHANISCHE EIGENSCHAFTEN | | | | | | | | | | | |
| TRAITEMENT TREATMENT/VERFABRICHTUNG | | | | | | | | | | | |
| TREMPE : QUENCHED/ABSCHRECKHARTEN | | TEMPERATURE : TEMPERATURE/TEMPERATUR | | 850 ° C | | REVENU : TEMPERED/VERJUTET | | 575 ° C | | DUREE : TIME/Dauer | |
| TRACTION TENSILE/STRECKSTÄRKE | | DIAMETRE DIAMETER/DIAMETER | | 10.0 | | | | | | | |
| | | RM N/MM2 | | RE N/MM2 | | A % | | | | | |
| MINI | SPEC MIN | MINI | 680.0 | 740.0 | 14.0 | | | | | | |
| VALEUR | ACTUAL | WERTE | 1064.0 | 997.0 | 15.0 | | | | | | |
| MAXI | SPEC MAX | MAXI | 1080.0 | | | | | | | | |
| RESILIENCE IMPACT TEST | | LONG LONGITUDINAL | | LARGE TRANSVERSE | | | | | | | |
| TYPE | TEMP | MIN | MAX | VAL | UNIT | | | | | | |
| KCU | 7.0 | | | 10.2 | DAJ/CM2 | | | | | | |
| CARACTERISTIQUES DE LIVRAISON PROPERTIES IN SUPPLY CONDITION | | | | | | | | | | | |
| TRACTION TENSILE/STRECKSTÄRKE | | RM N/MM2 | | | | | | | | | |
| MINI | SPEC MIN | MINI | 637 | | | | | | | | |
| VALEUR | ACTUAL | WERTE | 637 | | | | | | | | |
| MAXI | SPEC MAX | MAXI | 650 | | | | | | | | |

Page : 1

Nous certifions que les produits livrés sont conformes aux prescriptions de la commande et respectent la directive européenne 2002/53/CE du 18 septembre 2002. Wir bestätigen hiermit, dass die abgelieferten Erzeugnisse den Bestimmungsvorgaben und der EU-Richtlinie 2002/53/CE vom 18. September 2002 entsprechen. Alle in unseren Stahlwerken hergestellten Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt und sind daher frei von jeglicher radioaktiver Kontamination.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z
Siège Social : Immeuble le Colisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



Usine de FOS SUR MER
Boite Postale 40030
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00
Télécopie : 04 42 05 45 01

Material melted and manufactured in France / Material in Frankreich erschmolzen und hergestellt

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE

N° 2589610

CODE FC33

V/REF : 5151
YOUR ORDER/IHRE ORDER

DU : 26/09/2012
DATED/DATUM

AFFAIRE SUIVIE PAR : DVP SUD CLI

YOUR CONTACT IS/BEARBEITER

N/REFERENCE : 2272619 / 02

ASCOMETAL ORDER/WERKSTELLUNG

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

SERVICE NOTE NO./LIEFERUNG

N° DE LOT : F 2589610

WORKS ORDER NUMBER/REFERENZ WERK FÜR

COULEE : 065316

CAST/SCHMELZE

NUANCE : 35NC6

GRADE/WERKSTOFF

PRODUITS : 35NC6 PILSMACH. 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPEZIFIKATION

SPECIFICATION : AIR 9160 C/EN2438/LOFC 55D

SPECIFICATION/SPEZIFIKATION : CLASSE 2 AIR 0819+MBE 00

DESTINATAIRE DOCUMENT :

DOCUMENT FOR/EMPFAHNER

BROWN EUROPE SAS

LAVAL DE CERE
46130 LAVAL DE CERE
FRANCE

IND : SANS

REV/ENTWURF

DATE : 00/00/2000

DATEU/DATUM

RECEPTION :

INFORMATIONS COMPLEMENTAIRES

ADDITIONAL INFORMATION

CONTROLE ULTRA-SONS

ULTRASONIC EXAMINATION

ULTRASCHALL PRÜFUNG

NORME

ASCOMETAL

RESULTATS

100% CONFORME

CONTROLE MAGNETOSCOPIE

MAGNETIC PARTICLE INSP

MAGNETISKOPISCHE PRÜFUNG AIR 0819 CLASSE 2

CONFORME

CONTROLE TAILLE GRAIN

GRAIN SIZE

KORNGRÖSSE

7-8

COMMENTAIRES

COMMENTS/ANMERKUNG

CONTROLE ANTI-MELANGE CONFORME

CONTROLE US CONFORME A FCC 94 25 117 B CLASSE A

DEFAUT DE SURFACE = 0.03MM

DECARR GLOBALE = 0.04MM

CERTIFICAT DE RECEPTION CONFORME EN 10204 3-1
ABNAHMEPRÜFZUGENACH EN 10204 3-1
INSPECTION CERTIFICATE ACCORDING TO EN 10204 3-1

LE RESPONSABLE SPECIFICATIONS
SPEZIFIKATIONSLEITER
SPECIFICATION MANAGER

A. GENTA

Page : 2
(dernière page)

Nous certifions que les produits ci-dessus sont conformes aux prescriptions de la norme européenne 2002/53/CE du 18 septembre 2002.
Allein alle europäischen Richtlinie 2002/53/CE vom 18. September 2002.
Alle in unseren Anlagen hergestellten Produkte werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt.

We hereby certify that above-mentioned products comply with the order requirements of the European Directive 2002/53/CE of 18 September 2002. All cast products in our steel plants are inspected, enabling us to guarantee that products supplied have a level of radioactivity not exceeding that present in the environment.

Wir bestätigen hiermit, dass die oben genannten Erzeugnisse den Bestimmungen der europäischen Richtlinie 2002/53/CE vom 18. September 2002 entsprechen. Alle in unseren Anlagen hergestellten Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z
Siège Social : Immeuble le Colisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél: (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z


CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L00-15C AND EN10204 TYPE 3.1

Page 1/ 2

| | | | |
|---|--|---|--|
| Shipment to : (or notify party) B/E BURGESS HILL CHARLES AVENUE | | Shipment number : 127696 of : 26 JUN 2014 | |
| RH15 9UF BURGESS HILL GREAT BRITAIN | | Supplier number : | |
| Number of packaging : 2 | | Gross weight : 16.45 kg. | |
| | | Net weight : 15.45 kg. | |

| ORDERED | PART NUMBER | SHIPPED | BALANCE |
|---|---|---|----------------|
| Your P.O.Number: OXAL63 MLG3/1 | | | |
| N° Ack/Item: 291280/1 | | | |
| 6100 PCE | LN9038 - 05 012 vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6 marked Cadm.dichrom.coated | 5819 PCE 34.000 Lb. ** | 281 PCE |
| Technical spec : DIN65149=dia<5/LN65010>=5 | | Coating per : cadm. cyanide 5-9µ EN2133 | |
| Lot nb : 291280 P001 F002 Qty.: 5819 PCE AHG Wire lot nb.: 204394 Material heat nb.: 065316 N° CC: A594377 NATO Cod : F0095 Origin: France Original lot control N°286367 P002- F002 Manufacture heading date: 24 DEC 2013 Material Producer : BE Coating date : 20 JUN 2014 | | | |
| SUPPLIER'S INSPECTION NAME AND FUNCTION: Gilles GUISET CTLEF Chef Service Contrôle DATE 23 JUN 2014 Computer controlled signature | | | |
| <div style="text-align: center;">  </div> | | | |
| En application du Règlement REACH, cet article contient du cadmium N°CAS7440-43-9 à une concentration > 0,1% en poids In accordance with REACH Regulation, this article contain cadmium N°CAS7440-43-9 at a concentration above 0,1% mas/mas | | | |
| Adherence/Adhesion Test | Conf=0 / Non Conf=1 | Mini 0.0000 | Maxi 0.0000 |
| Decarburation depth 08-509MO | Tete sauf sous tete | 0.0000 | 0.0000 |
| | autres zones | 0.0000 | 0.0000 |
| Durete/Hardness 08-146MO | Dureté/Hardness | 269.0000 | 297.7000 |
| | Dureté/Hardness | 269.0000 | 298.7600 |
| | Dureté/Hardness | 269.0000 | 297.7000 |
| | Dureté/Hardness | 269.0000 | 296.1100 |
| | Dureté/Hardness | 269.0000 | 297.6600 |
| Grain Flow conformity 08-400MO | Conforme O/N | Conf=0 & Non conf=1 | 0.0000 |
| | mesure centre/sstête | 0.5000 | 0.6000 |
| Microstructure Conformity | Conforme O/N | Conf=0 & Non conf=1 | 0.0000 |
| This test report shall not be reproduced, in part or in full, without the written permission of AHG. | | | |
| Any alteration, forgery or fraudulent report will be punishable by the French Law. | | | |
| Proof Load Test 08-525MO | D charge/Proof Load | 950.0000 | 974.6855 |
| Item 1 | to be continued | | |

/..



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L00-15C AND EN10204 TYPE 3.1

Page 2/ 2

Shipment number : 127696 of : 26 JUN 2014
Supplier number :

| ORDERED | PART NUMBER | SHIPPED | BALANCE |
|--------------------------------|---------------------|-----------|-----------------|
| Item 1 Continuation | LN9038 - 05 012 | | |
| | D charge/Proof Load | 950.0000 | 1003.8719 DaN |
| Proof Load Test Déformat | Déformation/Set | 12.5000 | 8.0000 µm 2 |
| | Déformation/Set | 12.5000 | 8.0000 µm |
| Ressuage/Fluorescent Penetrant | Conf=0 & Non conf=1 | 0.0000 | 0.0000 592 |
| | Nb pièces testées | | 592.0000 |
| Traction/Tensile 08-403MO | D Traction/Tensile | 1280.0000 | 1388.6809 DaN 2 |
| | vitesse/load rate | 12.6000 | 15.4000 13.6977 |
| | D Traction/Tensile | 1280.0000 | 1400.6517 DaN |
| | vitesse/load rate | 12.6000 | 15.4000 13.7657 |
| Oblique Tensile test | D Traction/Tensile | 1280.0000 | 1352.7701 DaN 2 |
| | vitesse/load rate | 12.6000 | 15.4000 14.7048 |
| | D Traction/Tensile | 1280.0000 | 1373.3473 DaN |
| | vitesse/load rate | 12.6000 | 15.4000 15.3022 |

| | | | | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|--|--|---------|
| C | CR | CU | MN | NI | P | S | SI | | | FE |
| 0,35800 | 1,00100 | 0,18400 | 0,82000 | 1,38900 | 0,01200 | 0,00700 | 0,28900 | | | BALANCE |

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035

This test report shall not be reproduced, in part or in full, without the written permission of AHG.

Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CoC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

** Estimated quantity

--- TRUE COPY CERTIFICATION ---



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

PACKING SLIP N° 127696

of 26/06/2014

P/ 1

DB

Supplier number :

Account N°: 8092

File N° : G 44

Represent.: 002B ANDREA GHEZZI

Coface N°

Shipment to
B/E BURGESS HILL
CHARLES AVENUE

Ordered by :
B/E BURGESS HILL
CHARLES AVENUE

RH15 9UF BURGESS HILL
GREAT BRITAIN

Tél: 0044 1444 828 000

Fax:

RH15 9UF BURGESS HILL
GREAT BRITAIN

Tél: 0044 1444 828 000

Fax:

Pre-carriage by : UPS 409W09 AHG STANDARD
TOULOUSE

Number of packaging : 2
Net weight : 15.455 Kg. Gross weight: 16.455 Kg.

ORDERED

PART NUMBER

QTY.SHIP.

SCHEDULED

TO BE DELIV.

AIRCRAFT PARTS

Manufactured by AHG - NATO: F0095 - Origin: FRANCE

Your P.O.Nbr: OXAL63 MLG3/1

Our Ack/Item: 291280/001

6100 EA

LN9038 - 05 012

5819 EA

03 JUL 2014

281 EA

39.295 Lb.**

35NC6

sol.+pre.t

34.072 Lb.**

marked

chamfer

Cadm.dichrom.coated roll sorting vis TH toute filetee Acier 35N

Technical spec: DIN65149=di<5/LN65010>=5

Coating per: cadm. cyanide 5-9µ EN2133

Lot nb 291280 P 001 F002

Qty.: 5819 EA

** Estimated quantity